



Your Expert
in Parts

HC-CARGO LED Work Light Bars - For safer work environment



HC-CARGO Work Light Bars

P/N		Beam shape	Voltage	W	Lumen	IP	Approval	Cable L mm	Dim. Mm.	Beam Shape	Shape	Type	2 pin multiplug
172077			10-30	120	10800	IP 67	CE/EMC	1000	567x98x78.5	Combo	Curved	40 LED	with
172078			10-30	180	16200	IP 67	CE/EMC	1000	818x111.6x78.5	Combo	Curved	60 LED	with
172079			10-30	240	21600	IP 67	CE/EMC	1000	1069x130.5x78.5	Combo	Curved	80 LED	with
172080			10-30	288	25920	IP 67	CE/EMC	1000	1273x150x78.5	Combo	Curved	96 LED	with
172081			10-30	18	1620	IP 67	CE/EMC	500	276x56.5x56.5	Spot	Straight	6 LED	with
172082			10-30	36	3240	IP 67	CE/EMC	500	516x56.5x56.5	Combo	Straight	12 LED	with
172083			10-30	54	4860	IP 67	CE/EMC	500	756x56.5x56.5	Combo	Straight	18 LED	with
172084			10-30	72	6480	IP 67	CE/EMC	500	996x56.5x56.5	Combo	Straight	24 LED	with
172092			10-30	36	3240	IP 69K	ECE R112	500	206x86.5x78.5	Driving	Straight	12 LED	with
172093			10-30	72	6480	IP 69K	ECE R112	500	358x86.5x78.5	Driving	Straight	24 LED	with
172095			10-30	50	4000	IP 69K	CE/EMC	220	255x80x41	Spot	Straight	10 LED	with
172096			10-30	100	8000	IP 69K	CE/EMC	220	550x80x41	Spot	Straight	20 LED	with
172097			10-30	150	12000	IP 69K	CE/EMC	3000	805x80x41	Spot	Straight	30 LED	with
172098			10-30	200	16000	IP 69K	CE/EMC	3000	1060x80x41	Spot	Straight	40 LED	with
172102			10-30	120	10800	IP 69K	ECE R112	500	628x111.2x86.5	Driving	Straight	40 LED	with

HC-CARGO LED Work Light Bars provide

- Brightness = safe work environment
- Long lasting lifetime - up to 50.000 working hours
- Low power consumption (economical)
- Ultra-high performance in a variety of fields. Agricultural, utility vehicles, off road, marine, road works and construction and with zero maintenance
- A guarantee for quality and durability via tests and audits
- Resistance to water, dust, shock and vibration

All these features make LED lighting very popular within the automotive industry.

The HC-CARGO range is continuously extended with the latest state-of-the-art products in the market.

General features

- With or without connector
- Up to IP69K protected
- All are ECE or CE/EMC homologated
- Various shape, style, mount and output volume
- Spot, driving beam and combo versions



HC-CARGO is also:
More than 25.000 auto electrical parts
Quality products for every purpose

Find them at www.hc-cargo.com



www.hc-cargo.com

